



AIR! NOVO Tunnel

Where Products Become Data



***The Ultimate Supply Chain
Solution for the Retail Sector***



RAIN RFID system for intelligent reading / writing of items in unattended production environments.

TECHNICAL SPECIFICATIONS

AIR! NOVO TUNNEL

GENERAL DIMENSIONS

Length	1800mm
Width	1427mm
Height	2086mm
Approx Weight	450kg

(depending on final finish)

AMBIENTALES

Operating Temperature	-20°C a 50°C
Relative Humidity	5% a 96% sin condensación
Material	Aluminio, acero, policarbonato
Sensitivity Distance	120cm (otros elementos RFID)

RFID SPECIFICATIONS

ETSI BAND	EU1 865-868 MHz EU2 915-921 MHz
FCC BAND	902-928 MHz
Supported Tags	EPC Global Class 1G2 ISO 1800-6B ISO 1800-6C Ucode 1.19
RFID Regulations	RoHS, ETSI EN 301 489, ETSI EN 302 208 y IEC 60950

ELECTRICAS

Input Voltage	380-480 V 3~
Power	4 KW (máx)
Input Frequency	50-60 Hz
Internal Voltage	24 VDC

PRESTACIONES



Reading	Hasta 22 cajas / minuto Testeado hasta 800 items por caja
Encoding	Hasta 100 artículos/caja
Software	Potente software integrable con SGA/ERP

COMUNICACIÓN

Local Visualization	Ethernet (10/100 BaseT) LED tricolor
----------------------------	---


DETAILED DIMENSIONS

AIR! NOVO TUNNEL



DETAILED DIMENSIONS

AIR! NOVO TUNNEL



AIR! NOVO TUNNEL



AIR! NOVO TUNNEL

